



# HR MANUAL ROLLER GRILL



DESIGNED SMART. BUILT SOLID.®

**APW**  
*wyott*®

**Simple**

**Adaptable**

**Convenient**

**Simple, uncomplicated** operation, maintenance, control and management.

**Adaptable** to meet virtually any roller cooking requirements, from hot dogs to egg rolls, and more.

**Convenient** control from cook to hold, for various cycles during peak and off-peak selling hours.



# Manual Roller Grill

**High product visibility** means maximum merchandising for increased customer interest and sales.

**Adjustable controls** allow switching from cook to hold cycles, quickly and easily while maintaining proper temperatures.

**Multi-zone temperature selection** saves energy, and permits products to be cooked, while already cooked products can be held at NSF safe temps and served.

**Ultimate ease of cleaning** with “Tru-Turn” coated rollers. Just wipe clean with damp cloth. Also includes raised roller configuration for previously “hard to reach” areas, and removable grease pan.



**Operate with minimal labor** involved. Functions equally well in clerk-served and customer self-served spaces.

**Variety of options** and accessories available to provide further customization.

**Stainless steel** exterior means maximum durability.



## Dimensions



Model	Width	Depth	Height
HR-31	23.75"	18.625"	8.5"
HR-31BC	23.75"	18.625"	12.75"
HR-31BD	23.75"	18.625"	12.75"
HR-31BW	23.75"	18.625"	12.75"
HRS-31	23.75"	18.625"	8.5"
HRS-31BC	23.75"	18.625"	12.75"
HRS-31BD	23.75"	18.625"	12.75"
HRS-31BW	23.75"	18.625"	12.75"
HR-31S	23.75"	18.625"	8.5"
HR-31SBC	23.75"	18.625"	12.75"
HR-31SBD	23.75"	18.625"	12.75"
HR-31SBW	23.75"	18.625"	12.75"
HRS-31S	23.75"	18.625"	8.5"
HRS-31SBC	23.75"	18.625"	12.75"
HRS-31SBD	23.75"	18.625"	12.75"
HRS-31SBW	23.75"	18.625"	12.75"
HR-50	34.75"	18.625"	8.5"
HR-50BC	34.75"	18.625"	12.75"
HR-50BD	34.75"	18.625"	12.75"
HR-50BW	34.75"	18.625"	12.75"
HR-50	34.75"	18.625"	8.5"
HRS-50BC	34.75"	18.625"	12.75"
HRS-50BD	34.75"	18.625"	12.75"
HRS-50BW	34.75"	18.625"	12.75"
HR-50S	34.75"	18.625"	8.5"
HR-50SBC	34.75"	18.625"	12.75"

Model	Width	Depth	Height
HR-50SBD	34.75"	18.625"	12.75"
HR-50SBW	34.75"	18.625"	12.75"
HRS-50S	34.75"	18.625"	8.5"
HRS-50SBC	34.75"	18.625"	12.75"
HRS-50SBD	34.75"	18.625"	12.75"
HRS-50SBW	34.75"	18.625"	12.75"
HR-45	23.75"	29.56"	10.25"
HR-45BC	23.75"	29.56"	14.25"
HR-45BD	23.75"	29.56"	14.25"
HR-45BW	23.75"	29.56"	14.25"
HR-45	23.75"	29.56"	10.25"
HRS-45BC	23.75"	29.56"	14.25"
HRS-45BD	23.75"	29.56"	14.25"
HRS-45BW	23.75"	29.56"	14.25"
HR-75	34.75"	29.56"	10.25"
HR-75BC	34.75"	29.56"	14.25"
HR-75BD	34.75"	29.56"	14.25"
HR-75BW	34.75"	29.56"	14.25"
HRS-75	34.75"	29.56"	10.25"
HRS-75BC	34.75"	29.56"	14.25"
HRS-75BD	34.75"	29.56"	14.25"
HRS-75BW	34.75"	29.56"	14.25"
HR-85BW	34.75"	29.56"	14.25"
HRS-85BW	34.75"	29.56"	14.25"
HR-31	23.75"	18.625"	8.5"

## Specifications

### Construction

Stainless steel exterior, aluminum drip pan and coated steel bottom. Available in chrome or "Tru-Turn" textured rollers. Two heavy-duty high torque motors.

### Electric

120V units use a 5-15P Plug. Both the 208V and 240V units are provided with a 60" power cord with a Nema 6-15P plug that exits from the bottom on the left rear corner.

### Shipping

HR-31: 43 lbs.	HR-31BC: 73 lbs.	HR-31BD: 73 lbs.	HR-31BW: 76 lbs.
HR-45: 89 lbs.	HR-45BC: 89 lbs.	HR-45BD: 89 lbs.	HR-45BW: 91 lbs.
HR-50: 70 lbs.	HR-50BC: 105 lbs.	HR-50BD: 105 lbs.	HR-50: 108 lbs.
HR-75: 110 lbs.	HR-75: 205 lbs.	HR-75: 205 lbs.	HR-75: 208 lbs.

FOB: Cheyenne WY 82007

### APW Wyott Foodservice Equipment Company

1307 N. Watters Road, Suite 180, Allen, TX 75013  
 (800) 527-2100 • (972) 908-6100 • Fax (214) 565-0976  
 www.apwwyott.com • customercare@standexcsgr.com

© 2014 APW Wyott®  
 All rights reserved.

**APW**  
*wyott*