



## RTR-4 & RTR-8 REFRIGERATED TOPPING RAILS



DESIGNED SMART. BUILT SOLID.®

**APW**  
*wyott*®

**Safe**

**Compact**

**Ergonomic**

**Safe food temps** are the first system priority. NSF certified.

**Compact design** provides countertop footprint that maximizes service in small space.

**Ergonomic pan configurations** allow easy self-service by your customers.



# Refrigerated Topping Rails

**Two different models** offer 8 pan or 4 pan choices to fit your service needs.

**Heavy duty** cold well refrigeration systems have extra tough compressors

**All pans are removable** for easy cleaning, and have hinged removable covers.

**Stainless steel** construction is durable and easy to maintain

**Optional** legs available on 8-pan unit

**8-pan Unit** holds 4 pans 1/6th size by 4" deep in the lower section and 4 pans size 1/6th size by 6" deep in the upper section.

**4-Pan System** holds 4 pans 1/6th size by 6" deep.

**Pumps** also available for both RTR-4 and RTR-8



RTR-4




RTR-8




## Dimensions

---



**Model: RTR-8**



**Model: RTR-4**

## Specifications

---

### Construction

Stainless steel exteriors with stainless steel food wells. RTR-8 utilizes 1/5 Hp refrigeration unit. RTR-4 utilizes a 1/6 HP unit. RTR-8 comes with 8 hinges polycarbonate pans. RTR-4 comes with 4 hinged polycarbonate pans. Refrigeration is a cold wall system and utilizes a R-134a (CFC free) refrigerant.

### Capacity

RTR-8 holds (4) 1/6 size 4" deep pans and (4) 1/6 size 6" deep pans (pans and covers included)

RTR-4 holds (4) 1/6 size 6" deep pans

### Electric

RTR-8: 120V, 480W, 60 Hz, 1 Ph, 4 Amps

RTR-4: 120V, 360W, 60 Hz, 1 Ph, 3 Amps

### Shipping

RTR-8: 108 lbs (49 kg)

RTR-4: 78 lbs (35.4 kg)

Freight Class: 100

FOB: Cheyenne, WY

### APW Wyott Foodservice Equipment Company

1307 N. Watters Road, Suite 180, Allen, TX 75013  
(800) 527-2100 • (972) 908-6100 • Fax (214) 565-0976  
www.apwwyott.com • customercare@standexcsg.com

© 2014 APW Wyott®  
All rights reserved.

**APW**  
*wyott*