



SPTU THERMO DRAWER



DESIGNED SMART. BUILT SOLID.®

APW
wyott

Timely

Automatic

Compatible

Timely management of product heating and holding, to present product at optimum temperature for consistent customer satisfaction, while adhering to HACCP food safety standards.

Automatic coordinated functions between heating and holding to reduce labor and minimize product waste.

Compatible as a companion system to virtually all industry roller grills.



Thermo Drawer

Innovative design benefits

include larger and deeper drawer to accommodate standard size products, “jumbo-” sized items.

Totally removable drawer

for easy cleaning and utilizes heavy duty bearing/roller design for many years of problem free performance. Drawer will hold up to the tough demands of any self-serve application.



Space Saver/Slim-line design allows for this unit to be used with any roller grill system or as a stand-alone product “Heat, Hold and Serve” solution.

Holding times increased for up to 6 hours, without sacrificing the quality and appearance of the product.

Waste reduced from over-cooked product on the roller grill.

Stainless steel surfaces mean maximum durability.

The X*PERT Series Thermo Drawer is part of a specialized product group with advanced, patent pending design features, and advanced heat control and management.




APW X*Pert™ Series
Product Line



Dimensions



Model	A	B	C
SPTU-30N	19.25"	19.25"	4.625"
SPTU-30	23.75"	19.25"	4.625"
SPTU-50N	30.25"	19.25"	4.625"
SPTU-50	34.75"	19.25"	4.625"



Specifications

Construction

Stainless steel inside and out. Cool to the touch exterior.

Electric

Each unit is equipped with at least a 66", three wire grounded power cord, which terminates with a standard three-pronged male plug. The U.S. 120V units utilize a NEMA 5-15P plug, the U.S. 208/240V units utilize a NEMA 6-15P plug.

Model	Volts	Wattage	Amps
SPTU-30N	120	365	3.0
SPTU-30N	208/240	365	1.6 / 1.8
SPTU-30	120	495	4.125
SPTU-30	208/240	495	2.1/2.4
SPTU-50N	120	700	5.8
SPTU-50N	208/240	700	3.0/3.5
SPTU-50	120	700	5.8
SPTU-50	208/240	700	3.0/3.5

Shipping

SPTU-30 41 lbs.

SPTU-30N 32 lbs.

SPTU-50 53 lbs.

SPTU-50N 48 lbs.

FOB: Allen, TX 75013

APW Wyott Foodservice Equipment Company

1307 N. Watters Road, Suite 180, Allen, TX 75013
(800) 527-2100 • (972) 908-6100 • Fax (214) 565-0976
www.apwwyott.com • customercare@standexcsg.com

© 2014 APW Wyott®
All rights reserved.

APW
wyott